REFERENCES

Akbarzadeh, Marzieh; Nematollahi, Azar; Farahmand, Mahnaz; Amooee, Sedigheh(2018),The Effect of Two-Staged Warm Compress on the Pain Duration of First and Second Labor Stages and Apgar Score in Prim Gravida Women: a Randomized Clinical Trial,**Journal of Caring Sciences; Tabriz** Vol. 7, Iss. 1, : 21-26. DOI:10.15171/jcs.2018.004

Akbarzadeh M, **Masoudi Z**, **Zare N**, **Vaziri F** (2015),Comparison of the effects of doula supportive care and acupressure at the BL32 point on the mother's anxiety level and delivery outcome, Iran J Nurs Midwifery Res. Vol 20, Iss 2:239-46.

Akbarzadeh, Marzieh; Masoudi Zahra; Hadianfard Javad Mohammad, Kasraeian Maryam; Zare5 Najaf (2014),Comparison of the Effects of Maternal Supportive Care and Acupressure (BL32 Acupoint) on Pregnant Women's PainIntensity and Delivery Outcome,Journal of Pregnancy,Volume, Article ID 129208, **http://dx.doi.org/10.1155/2014/129208**

Bhatt, Shilpa; Sharma, Shivani; Vijayasanthalakshmi (2019), A Quasi-Experimental Study to Assess the Effectiveness of foot Reflexology on Intensity of Labour Pain among Primigravida Mothers admitted at selected Hospitals of Mohali, Punjab, **Asian Journal of Nursing Education and Research; Raipur,** Vol. 9, Iss. 2 : 207-212. DOI:10.5958/2349-2996.2019.00044.2

Brown, Sylvia T, ; Douglas, Carol, ; Flood, LeeAnn Plaster(2001), Women's Evaluation of Intrapartum Nonpharmacological Pain Relief Methods Used during Labor,**The Journal of Perinatal Education; New York** ,Vol. 10, Iss. 3, : 1-8. DOI:10.1624/105812401X88273

BT Basavanthappa(2011), Essentials of Midwifery & Obstetrical Nursing, Jaypee Brothers Medical Publishers(P) LTD, First Edition, ISBN No 978-93-5025-163-8 .p.247

Çalik, Kiymet Yesilçiçek; Komürcü, Nuran (2014),The opinions of pregnant women about labor and acupressure application who received acupressure on their SP6 points ,**Marmara Üniversitesi Saglik Bilimleri Enstitüsü Dergisi; Istanbul** Vol. 4, Iss. 1, : 29. DOI:10.5455/musbed.20140207083603

Cho, Seung-Hun; Hwang, Eui-Whan(2010), Acupressure for primary dysmenorrhoea: A systematic review,**Complementary Therapies in Medicine; Kidlington,** Vol. 18, Iss. 1: 49-56. DOI:10.1016/j.ctim.2009.10.001

Cha, Nam Hyun; Sok, Sohyune R(2016),Effects of Auricular Acupressure Therapy on Primary Dysmenorrhea for Female High School Students in South Korea, **Journal of Nursing Scholarship; Indianapolis** Vol. 48, Iss. 5, : 508-516. DOI:10.1111/jnu.12238

Chris Jarmey and John Tindall(1991),Acupressure for Common Ailments, A Fireside book Published by Simon and Schuster, New York. ISBN NO. 978-0-671-73135-9

Chung, U.L. et al. (2003). Effects of LI4 and BL 67 acupressure on labor pain and uterine contractions in the first stage of labor.Journal of Nursing Research, 11(4),251-60.

Durga M Kanaga; Venkatesan latha(2012),Effectiveness of Scalp Acupressure upon Labour Pain and Coping among Primiparturient Women,Asian Journal of Nursing Education and Research, Vol 2,Iss 3: 140-143

Debra Betts(2003), Natural pain relief techniques for childbirth using Acupressure,ISBN No. 0-473-04467-6, pp.4-15

Deepak, Avinash Kaur Rana,Seema Chopra(2013), Effect of acupressure on intensity of labour pains and duration of first stage of labour among primigravida mothers.,Nursing and Midwifery Research Journal, Vol 9, No 4.

Dengsangluri1, Jyoti A Salunkhe(2015), Effect of Breathing Exercise in Reduction of Pain during First Stage of Labour among Primigravidas , International journal of health sciences and research,Vol 4, Issue 2.

El Hamid, Nagwa Abd El Fadeel Abd; **Obaya, Hany Ezzat**; **Gaafar, Hassan Mostafa** (2013),Effect of Acupressure on Labor Pain and Duration of Delivery among Laboring Women Attending Cairo University Hospital,**Indian Journal of Physiotherapy and Occupational Therapy; New Delhi Vol. 7, Iss. 2,** : 71-76.

Esfandiari M, Nankaley A, Sanjari N, Almasi A, Karimi S(2009), Effectiveness of entonox on severity of labor pain in women referred to maternity ward of Imam Reza hospital, Kermanshah, Journal of Ilam University of Medical Sciences, Vol 17, Iss 1:25-30.

Fatemeh Dabiri and Arefeh Shahi(2014),The Effect of LI4 Acupressure on Labor Pain Intensity and Duration of Labor: A Randomized Controlled Trial, **Oman Med J**. 2014 Nov; 29(6): 425–429. doi: **10.5001/omj.2014.113**,PMCID: PMC4289495,PMID: **25584160**

Giovanni Maciocia (2011), Obstetrics and Gynecology in Chinese Medicine E-Book,Churchill Livingstone Elsevier,2ND Edition. ISBN NO. 978-0-443-10422-0.

Hamlaci, Yasemin, Yazici, Saadet(2017), The Effect of Acupressure Applied to Point LI4 on Perceived Labor Pains, **Holistic Nursing Practice; Frederick Vol. 31, Iss. 3** : 167.

Hamidzadeh, Azam; Shahpourian, Farangis; Orak, Roohangiz Jamshidi, ; Montazeri, Akram Sadat; Khosravi, Ahmad (2012),Effects of LI4 Acupressure on Labor Pain in the First Stage of Labor, **Journal of Midwifery & Women's Health; New York,** Vol. 57, Iss. 2:133. DOI:10.1111/j.1542-2011.2011.00138.x

Indra V.(2017),A Study to Assess the Effectiveness of Acupressure during Labour pain among Primigravida Mothers in Selected Hospitals, Puducherry, IJANM, Vol.5, Iss 2.

Janula Raju, Manipal Singh(2014), Effectiveness of aromatherapy in reducing Labour Pain and duration of labour among Primigravida s:a pilot Study,International journal of health sciences and research,Vol 4, Issue 2.

Kamini Rao, Text book of Midwifery and Obstetrics for Nurses, Elsevier India Private Ltd ISBN No.978-81-312-2188-4, p.141

Kwan,Winny SC,Li,William WH (2014), Effect of ear acupressure on acute postpartum perineal pain: a randomised controlled study, **Journal of Clinical Nursing; Oxford,** Vol. 23, Iss. 7-8: 1153.

Levett, KM; Smith, CA; Dahlen, HG; Bensoussan, A(2014), Acupuncture and acupressure for pain management in labour and birth: A critical narrative review of current systematic review evidence,**Complementary Therapies in Medicine; Kidlington** ,Vol. 22, Iss. 3: 523-40. DOI:10.1016/j.ctim.2014.03.011

Lowe N K (2002),"The nature of labor pain," American Journal of Obstetrics and Gynecology, vol. 186, no. 5, pp. 16–24..

Mascarenhas, Victor Hugo Alves; Lima, Thays Rezende; e Silva, Fernanda Mendes Dantas; Negreiros, Fabyanna dos Santos; Santos, José Diego Marques; et al.(2019),Scientific evidence on non-pharmacological methods for relief of labor pain, Vol. 32, Iss. 3, : 350-357,350A-357A. DOI:10.1590/1982-0194201900048.

Michael Reed Gach,(1990),Acupressure's Potent Points: A Guide to Self-Care for Common Ailments,Bantam Books, ISBN NO.978-0-307-79403-1

Moriarty, Kathleen A (2007),Psychophysiologic responses to acupressure used as a pre-birth treatment at full term gestation,University of Illinois at Chicago, Health Sciences Center, ProQuest Dissertations Publishing, 2007. 3274028.

Movahedi, Maryam; Ghafari, Somayeh; Valiani, Mahboubehi(2017), The Effects of

Acupressure on Pain Severity in Female Nurses with Chronic Low Back Pain, **Iranian Journal of Nursing and Midwifery Research; Isfahan** ,Vol. 22, Iss. 5 : 339.

Mucuk, Salime, Baser, Muruvvet, ; Ozkan, Tulay(2013) Effects of Noninvasive Electroacupuncture on Labor Pain, Adrenocorticotropic Hormone, and Cortisol, **Alternative Therapies in Health and Medicine; Aliso Viejo** Vol. 19, Iss. 3: 26-30.

Myles Textbook for Midwives(2009), Churchil Livingstone Elsevier,15th edition, ISBN No.978-0-443-06844-7, p.496-497.

Najafi, Fatemeh; Jaafarpour, Molouk; Sayehmiri, Kourosh; Khajavikhan, Javaher (2018),An Evaluation of Acupressure on the Sanyinjiao (SP6) and Hugo (LI4) Points on the Pain Severity and Length of Labor: A Systematic Review and Meta analysis Study,**Iranian Journal of Nursing and Midwifery Research; Isfahan** Vol. 23, Iss. 1 : 1.

Ozgoli, Giti; **Sedigh Mobarakabadi, Sedigheh**; **Heshmat, Reza**; **Alavi Majd, Hamid**; **Sheikhan, Zohreh**(2016), Effect of LI4 and BL32 acupressure on labor pain and delivery outcome in the first stage of labor in primiparous women: A randomized controlled trial, **Complementary Therapies in Medicine; Kidlington Vol. 29** : 175-180. DOI:10.1016/j.ctim.2016.10.009

Presteena, C J (2016),Effect of Lamaze Method on Child Birth Experiences among Primi Gravid Women During First Stage of Labour in a Selected Hospital of Udupi, **Asian Journal of Nursing Education and Research; Raipur,** Vol. 6, Iss. 4, : 443-453. DOI:10.5958/2349-2996.2016.00084.7

Purepong Nithima, Channak Sirinant, Boonyong Sujitra,Premtip, Thaveeratitham Janwantanakul Prawit (2015), The effect of an acupressure backrest on pain and disability in office workers withchronic low back pain: A randomized,controlled study and patients' preferences, Complementary Therapies in Medicine,Vol 23, Iss 3, 347—355.

Schlaeger, Judith M; Gabzdyl, Elizabeth M; Bussell, Jeanie L; Takakura, Nobuari; Yajima, Hiroyoshi; et al. (2017),Acupuncture and Acupressure in Labor,**Journal of Midwifery & Women's Health; New York** ,Vol. 62, Iss. 1,): 12-28. DOI:10.1111/jmwh.12545 .

Sebastian, Martina K. (2014),Effect of Acupressure on Labour Pain during First Stage of Labour among Primi Mothers in a Selected Hospital of Delhi,**Nursing Journal of India; New Delhi** Vol. 105, Iss. 3, : 136-139.

Sehhatie-Shafaie, Fahimeh; **Kazemzadeh, Rafat**; **Amani, Firouz**; **Heshmat, Reza** (2013),The Effect of Acupressure on Sanyinjiao and Hugo Points on Labor Pain in Nulliparous Women: A Randomized Clinical Trial.**Journal of Caring Sciences; Tabriz Vol. 2, Iss. 2** : 123-129.

Sharif Nia, Hamid; Pahlevan Sharif, Saeed; Yaghoobzadeh, Ameneh; Yeoh, Ken Kyid; Goudarzian, Amir Hossein; et al (2017), Effect of acupressure on pain in Iranian leukemia patients: A randomized controlled trial study,**International Journal of Nursing Practice; Richmond** Vol. 23, Iss. 2. DOI:10.1111/ijn.12513.

Taghinejad, Hamid; Delpisheh(2010),Comparison between massage and music therapies to relieve the severity of labor pain Ali. **Women's Health; London** Vol. 6, Iss. 3: 377-81. DOI:10.2217/whe.10.15.

Vixner, Linda; Schytt, Erica; Mårtensson, Lena B (2017), Associations between maternal characteristics and women's responses to acupuncture during labour: a secondary analysis from a randomised controlled trial,**Acupuncture in Medicine; Northwich** Vol. 35, Iss. 3,: 180. DOI:10.1136/acupmed-2016-011164.

Wan Q , Wen F (2018),Effects of acupressure and music therapy on reducing labor pain, Int J Clin Exp Med ;11(2):898-903, www.ijcem.com /ISSN:1940-5901/IJCEM0055542.

www.searo.who.int

Zaghloul MG , Mossad AF (2018),Effect of effleurage on Pain Severity and Duration of labor among laboring Women, IOSR Journal of Nursing and Health Science (IOSR-JNHS) e-ISSN: 2320–1959.p- ISSN: 2320–1940 Vol 7, Iss 6.